

MAX-SERIES™



COMPACT TRACK LOADERS & SKID STEERS

asv
A FORCE IN NATURE.

THE ALL-NEW MAX-SERIES

**WE REIMAGINED
EVERY MAXIMUM.**

In our world, bigger and tougher is always better. But when it came time to develop our brand-new line of MAX-Series loaders, we narrowed our focus down to the most granular level. We stripped down and reimagined every single cab detail, which paid off in a big, big way: like maximum performance and comfort. And maximum control. Oh, and maximum productivity, too. Because when you're laser-focused on perfecting every inch, you wind up with something that exceeds expectations by miles. That something? The MAX-Series from ASV.

MAX-SERIES



All-terrain designs enable the ability to work in more places and in more conditions for maximum productivity from one day to the next.



Patented Posi-Track® undercarriage technology significantly reduces surface impact for smoother, more comfortable operation.

MEET YOUR MAX

From premium 360-degree visibility to our roomiest cab design yet, ASV MAX-Series compact track loaders and skid steers are designed with creature comforts that let you work more comfortably from sunup to sundown. Plus, every MAX-Series machine is built to lead the industry in hydraulic performance, tractive effort, undercarriage technology, reliability and serviceability, meaning you'll be able to take on your next job like never before.

INCREASED OPERATOR AREA, including additional headroom, legroom and shoulder width, reduce fatigue during long jobs.

OPTIONAL HEAVY GAUGE, FALLING OBJECT PROTECTIVE STRUCTURE (FOPS) level 2 cab rating offers improved rollover protection and impact resistance.



THE INDUSTRY'S FIRST ROOF ESCAPE hatch allows for easy exit in emergencies.

INDUSTRY-LEADING CAB pressurization system keeps dust and debris out of the cab while maintaining ideal temperature.

DUAL-THROTTLE capability allows operators to work at a set RPM with dial control and increase the RPM with a foot throttle.

CUSTOMIZABLE AND ADJUSTABLE SETTINGS FOR JOYSTICKS, recline, arm rests and lumbar support maximize controllability.

FULLY SUSPENDED SEAT is accessible to and comfortable for virtually any body type.

UPGRADED HVAC SYSTEM allows for ideal circulation and improved defrosting capabilities.



FLOOR-TO-CEILING GLASS WINDOWS provide a premium 360-degree visibility experience.



7-INCH FULL-COLOR TOUCHSCREEN display allows visibility to vital monitoring specs and backup camera.



BLUETOOTH RADIO AND HIGH-DEFINITION SPEAKERS deliver better, more customizable audio.



STATE-OF-THE-ART CONTROL PANEL offers easy and intuitive switch access.

MAX-SERIES™

All models deliver next-level performance for landscaping projects, residential construction, acres of excavation and beyond.



RT-65

LOADER ARMS	Radial
OPERATING WEIGHT	7,480 lbs (3393 kg)
RATED OPERATING CAPACITY	1,925 lbs (873 kg)
GROUND PRESSURE	4.2 psi (29.0 kPa)
ENGINE POWER	67.0 hp (50 kW)



VT-70 HIGH OUTPUT

LOADER ARMS	Vertical
OPERATING WEIGHT	8,035 lbs (3645 kg)
RATED OPERATING CAPACITY	2,328 lbs (1061 kg)
GROUND PRESSURE	4.5 psi (31.0 kPa)
ENGINE POWER	74.3 hp (55.4 kW)



RT-75

LOADER ARMS	Radial
OPERATING WEIGHT	9,060 lbs (4,110 kg)
RATED OPERATING CAPACITY	2,750 lbs (1,247 kg)
GROUND PRESSURE	3.5 psi (24.1 kPa)
ENGINE POWER	74.0 hp (55 kW)



RT-75 HEAVY DUTY

LOADER ARMS	Radial
OPERATING WEIGHT	9,210 lbs (4178 kg)
RATED OPERATING CAPACITY	2,800 lbs (1,270 kg)
GROUND PRESSURE	3.6 psi (22.1 kPa)
ENGINE POWER	74.0 hp (55 kW)



VS-75

LOADER ARMS	Vertical
OPERATING WEIGHT	8,910 lbs (4,041.5 kg)
RATED OPERATING CAPACITY	3,500 lbs (1,587.6 kg)
ENGINE POWER	74 hp (55 kW)



RS-75

LOADER ARMS	Radial
OPERATING WEIGHT	7,595 lbs (3,454 kg)
RATED OPERATING CAPACITY	2,600 lbs (1,179 kg)
ENGINE POWER	74 hp (55 kW)



RT-135

LOADER ARMS	Radial
OPERATING WEIGHT	11,265 LBS (5110 kg)
RATED OPERATING CAPACITY	3,535 lbs (1603 kg)
ENGINE POWER	132 hp (98.4 kW)



RT-135 FORESTRY

LOADER ARMS	Radial
OPERATING WEIGHT	12,990 LBS (5892 kg)
RATED OPERATING CAPACITY	4,150 lbs (1882 kg)
ENGINE POWER	132 hp (98.4 kW)